

Refine Search

Search Results -

Terms	Documents
L42 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L43

Search History

DATE: Saturday, January 19, 2008

[Purge Queries](#)
[Printable Copy](#)
[Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L43</u>	L42 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	1	<u>L43</u>
<u>L42</u>	L39 and ((carboxylic near acid) or (acrylic near acid))	13	<u>L42</u>
<u>L41</u>	L40 and ((carboxylic near acid) or (acrylic near acid))	3	<u>L41</u>
<u>L40</u>	L39 and (cosmetic or (personal near care) or (hair near cosmetic))	25	<u>L40</u>
<u>L39</u>	L38 and (hydrophilic and hydrophobic)	38	<u>L39</u>
<u>L38</u>	L1 and ((linear near triblock near copolymer) or (straight near triblock near copolymer))	247	<u>L38</u>
<u>L37</u>	L36 and ((treatment near after near polymereization) or hydrolysis or quaternization or (amine-oxide near form\$2))	11	<u>L37</u>
<u>L36</u>	L33 and ((two near Tg) or (two near melting near points) or (two near glass near transition near temperature))	27	<u>L36</u>
<u>L35</u>	L34 and (cosmetic or (hair near washing) or (skin near cleaning) or (skin near	54	<u>L35</u>

	care) or hygiene or cosmetic)		
<u>L34</u>	L33 and (amphoteric or amphiphilic)	108	<u>L34</u>
<u>L33</u>	L30 and ((hydrophilic near block) or (acrylic near acid) or vinylcaprolactam or vinylpyrrolidone or vinylacrylamide or (amine-oxide near group) or (alkoxy near group) or (epoxy near group) or (carboxybetaine near group) or (carboxylic near acid))	434	<u>L33</u>
<u>L32</u>	L31 and ((hydrophilic near block) or (acrylic near acid) or vinylcaprolactam or vinylpyrrolidone or vinylacrylamide)	14	<u>L32</u>
<u>L31</u>	L30 and ((hard near block) and (soft near block))	29	<u>L31</u>
<u>L30</u>	L1 and ((straight-chain) or (linear near triblock near copolymer) or (linear near chain))	629	<u>L30</u>
<u>L29</u>	L23 and (Young near modulus)	0	<u>L29</u>
<u>L28</u>	L23 and (acrylic near block near copolymer)	0	<u>L28</u>
<u>L27</u>	L23 and amphiphilic	0	<u>L27</u>
<u>L26</u>	L23 and (triblock near copolymer)	0	<u>L26</u>
<u>L25</u>	L23 and (amphiphilic near block near copolymer)	0	<u>L25</u>
<u>L24</u>	L23 and (linear near block near copolymer)0		<u>L24</u>
<u>L23</u>	(5815517 or 6123933 or 3927199 or 4371517 or 5139037 or 5089252 or 4402977 or 4190718).pn.	19	<u>L23</u>
<u>L22</u>	L20 and amphiphilic	0	<u>L22</u>
<u>L21</u>	L20 and (triblock near copolymer)	0	<u>L21</u>
<u>L20</u>	(5849291 or 5660819 or 5472686).pn.	5	<u>L20</u>
<u>L19</u>	6938078	2	<u>L19</u>
<u>L18</u>	L16 and 525/\$.ccls.	62	<u>L18</u>
<u>L17</u>	L16 and ((amphiphilic near triblock near copolymer) or (amphiphilic near multiblock near copolymer))	1	<u>L17</u>
<u>L16</u>	L1 and (straight-chain)	186	<u>L16</u>
<u>L15</u>	L13 and (straight-chain)	11	<u>L15</u>
<u>L14</u>	L13 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	11	<u>L14</u>
<u>L13</u>	L12 and (cosmetic or (hair near washing) or (skin near cleaning) or (skin near care) or hygiene or pharmaceutical or cosmetic)	86	<u>L13</u>
<u>L12</u>	L11 and amphiphilic	128	<u>L12</u>
<u>L11</u>	L1 and ((straight-chain) or (linear near chain) or (straight near chain))	928	<u>L11</u>
<u>L10</u>	L9 and ((straight-chain) or (linear near chain) or (straight near chain))	22	<u>L10</u>
<u>L9</u>	L8 and ((Tg) or (glass near transition near temperature) or (two near melt near points) or (two near melting near points) or (two near Tg))	95	<u>L9</u>
<u>L8</u>	L7 and ((acrylic near acid) or (acrylic near acid near unit) or (acrylic near acid near block) or (acrylic near acid near segment))	472	<u>L8</u>
<u>L7</u>	L1 and (amphiphilic or (amphiphilic near triblock near copolymer) or (amphiphilic near multiblock near copolymer))	797	<u>L7</u>
<u>L6</u>	L5 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	11	<u>L6</u>
	L4 and ((acrylic near acid) or (acrylic near acid near unit) or (acrylic near acid		

<u>L5</u>	near block) or (acrylic near acid near segment))	13	<u>L5</u>
<u>L4</u>	L3 and ((hydrophilic near block) or (hydrophilic near polymer) or (hydrophilic near unit) or (hydrophilic near segment) or (hydrophilic near groups))	14	<u>L4</u>
<u>L3</u>	L2 and ((glass near transition near temperature) or (Tg) or (two near melt near points) or (two near melting near points) or (two near Tg))	79	<u>L3</u>
<u>L2</u>	L1 and ((acrylic near block near copolymer) or (acrylate near block near copolymer))	105	<u>L2</u>
<u>L1</u>	(triblock near copolymer) or ((A-B-A) near block near copolymer)	7675	<u>L1</u>

END OF SEARCH HISTORY

Hit List

[First Hit](#) [Clear](#) [Generate Collection](#) [Print](#) [Fwd Refs](#) [Bkwd Refs](#)
[Generate OACS](#)

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20070021569 A1

L43: Entry 1 of 1

File: PGPB

Jan 25, 2007

PGPUB-DOCUMENT-NUMBER: 20070021569

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20070021569 A1

TITLE: SULFONATED BLOCK COPOLYMERS, METHOD FOR MAKING SAME, AND VARIOUS USES FOR SUCH BLOCK COPOLYMERS

PUBLICATION-DATE: January 25, 2007

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
WILLIS; Carl Lesley	Houston	TX	US
HANDLIN; Dale Lee JR.	Houston	TX	US
TRENOR; Scott Russell	Houston	TX	US
MATHER; Brian Douglas	Blacksburg	VA	US

US-CL-CURRENT: 525/314

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	WMO	Drawings
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

[Clear](#) [Generate Collection](#) [Print](#) [Fwd Refs](#) [Bkwd Refs](#) [Generate OACS](#)

Terms	Documents
L42 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	1

Display Format: ☐ [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Refine Search

Search Results -

Terms	Documents
L45 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate) and ((carboxylic near acid) or (acrylic near acid))	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L47

Search History

DATE: Saturday, January 19, 2008
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L47</u>	L45 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate) and ((carboxylic near acid) or (acrylic near acid))	3	<u>L47</u>
<u>L46</u>	L45 and ((linear near triblock near copolymer) or (straight near triblock near copolymer))	0	<u>L46</u>
<u>L45</u>	4339371	50	<u>L45</u>
<u>L44</u>	4339371.pn.	3	<u>L44</u>
<u>L43</u>	L42 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	1	<u>L43</u>
<u>L42</u>	L39 and ((carboxylic near acid) or (acrylic near acid))	13	<u>L42</u>
<u>L41</u>	L40 and ((carboxylic near acid) or (acrylic near acid))	3	<u>L41</u>
<u>L40</u>	L39 and (cosmetic or (personal near care) or (hair near cosmetic))	25	<u>L40</u>
<u>L39</u>	L38 and (hydrophilic and hydrophobic)	38	<u>L39</u>

L38	L1 and ((linear near triblock near copolymer) or (straight near triblock near copolymer))	247	L38
L37	L36 and ((treatment near after near polymereization) or hydrolysis or quaternization or (amine-oxide near form\$2))	11	L37
L36	L33 and ((two near Tg) or (two near melting near points) or (two near glass near transition near temperature))	27	L36
L35	L34 and (cosmetic or (hair near washing) or (skin near cleaning) or (skin near care) or hygiene or cosmetic)	54	L35
L34	L33 and (amphoteric or amphiphilic)	108	L34
L33	L30 and ((hydrophilic near block) or (acrylic near acid) or vinylcaprolactam or vinylpyrrolidone or vinylacrylamide or (amine-oxide near group) or (alkoxy near group) or (epoxy near group) or (carboxybetaine near group) or (carboxylic near acid))	434	L33
L32	L31 and ((hydrophilic near block) or (acrylic near acid) or vinylcaprolactam or vinylpyrrolidone or vinylacrylamide)	14	L32
L31	L30 and ((hard near block) and (soft near block))	29	L31
L30	L1 and ((straight-chain) or (linear near triblock near copolymer) or (linear near chain))	629	L30
L29	L23 and (Young near modulus)	0	L29
L28	L23 and (acrylic near block near copolymer)	0	L28
L27	L23 and amphiphilic	0	L27
L26	L23 and (triblock near copolymer)	0	L26
L25	L23 and (amphiphilic near block near copolymer)	0	L25
L24	L23 and (linear near block near copolymer)0		L24
L23	(5815517 or 6123933 or 3927199 or 4371517 or 5139037 or 5089252 or 4402977 or 4190718).pn.	19	L23
L22	L20 and amphiphilic	0	L22
L21	L20 and (triblock near copolymer)	0	L21
L20	(5849291 or 5660819 or 5472686).pn.	5	L20
L19	6938078	2	L19
L18	L16 and 525/\$.ccls.	62	L18
L17	L16 and ((amphiphilic near triblock near copolymer) or (amphiphilic near multiblock near copolymer))	1	L17
L16	L1 and (straight-chain)	186	L16
L15	L13 and (straight-chain)	11	L15
L14	L13 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	11	L14
L13	L12 and (cosmetic or (hair near washing) or (skin near cleaning) or (skin near care) or hygiene or pharmaceutical or cosmetic)	86	L13
L12	L11 and amphiphilic	128	L12
L11	L1 and ((straight-chain) or (linear near chain) or (straight near chain))	928	L11
L10	L9 and ((straight-chain) or (linear near chain) or (straight near chain))	22	L10
L9	L8 and ((Tg) or (glass near transition near temperature) or (two near melt near points) or (two near melting near points) or (two near Tg))	95	L9

<u>L8</u>	L7 and ((acrylic near acid) or (acrylic near acid near unit) or (acrylic near acid near block) or (acrylic near acid near segment))	472	<u>L8</u>
<u>L7</u>	L1 and (amphiphilic or (amphiphilic near triblock near copolymer) or (amphiphilic near multiblock near copolymer))	797	<u>L7</u>
<u>L6</u>	L5 and ((2-ethylhexylacrylate) or (ethylhexyl near acrylate) or ethylhexylacrylate)	11	<u>L6</u>
<u>L5</u>	L4 and ((acrylic near acid) or (acrylic near acid near unit) or (acrylic near acid near block) or (acrylic near acid near segment))	13	<u>L5</u>
<u>L4</u>	L3 and ((hydrophilic near block) or (hydrophilic near polymer) or (hydrophilic near unit) or (hydrophilic near segment) or (hydrophilic near groups))	14	<u>L4</u>
<u>L3</u>	L2 and ((glass near transition near temperature) or (Tg) or (two near melt near points) or (two near melting near points) or (two near Tg))	79	<u>L3</u>
<u>L2</u>	L1 and ((acrylic near block near copolymer) or (acrylate near block near copolymer))	105	<u>L2</u>
<u>L1</u>	(triblock near copolymer) or ((A-B-A) near block near copolymer)	7675	<u>L1</u>

END OF SEARCH HISTORY